

RECEIVED
CENTRAL FAX CENTER

DEC 08 2004

**Yee &
Associates, P.C.**4100 Alpha Road
Suite 1100
Dallas, Texas 75244Main No. (972) 385-8777
Facsimile (972) 385-7766**FACSIMILE COVER SHEET**

To: Dalip K. Singh Patent Examiner	Facsimile No. 703-872-9306 Main No. of Receiving Firm:
From: Dell Whitton Paralegal to Duke W. Yee	No. of Pages Including Cover Sheet: 4
Attached: <ul style="list-style-type: none">• Transmittal;• Request for Certificate of Correction; and• Certificate of Correction. <p>Thank you, Dell Whitton</p>	
Date: Wednesday, December 8, 2004	
Please contact us at (972) 385-8777 if you do not receive all pages indicated above or experience any difficulty in receiving this facsimile.	<i>This Facsimile is intended only for the use of the addressee and, if the addressee is a client or their agent, contains privileged and confidential information. If you are not the intended recipient of this facsimile, you have received this facsimile inadvertently and in error. Any review, dissemination, distribution, or copying is strictly prohibited. If you received this facsimile in error, please notify us by telephone and return the facsimile to us immediately.</i>

**PLEASE CONFIRM RECEIPT OF THIS TRANSMISSION BY
FAXING A CONFIRMATION TO 972-385-7766.**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **Marino**Serial No.: **09/594,630**Filed: **June 15, 2000**For: **Hardware Perspective Correction of Pixel
Coordinates and Texture Coordinates**

§
§ Group Art Unit: 2676
§
§ Examiner: **Singh, Dalip K.**
§
§ Attorney Docket No.: **AUS000111US1**
§
§

RECEIVED
CENTRAL FAX CENTER

DEC 08 2004

Certificate of Transmission Under 37 C.F.R. § 1.8(a)
I hereby certify this correspondence is being transmitted via
facsimile to the Commissioner for Patents, P.O. Box 1450,
Alexandria, VA 22313-1450, facsimile number (703) 872-9306
on December 8, 2004.
By: *Dell Whitton*
Dell Whitton

TRANSMITTAL DOCUMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

ENCLOSED HEREWITH:

- Request for Certification of Correction of Office Mistake; and
- Certificate of Correction.

No fees are believed to be necessary. If, however, any fees are required, I authorize the Commissioner to charge these fees which may be required to IBM Corporation Deposit Account No. 09-0447.

Respectfully submitted,

Duke W. Yee
Duke W. Yee

Registration No. 34,285

YEE & ASSOCIATES, P.C.

P.O. Box 802333

Dallas, Texas 75380

(972) 385-8777

ATTORNEY FOR APPLICANT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICEIn re application of: **Marino**Serial No.: **09/594,630**Filed: **June 15, 2000**For: **Hardware Perspective Correction of Pixel
Coordinates and Texture Coordinates**

§

§ Group Art Unit: **2676**

§


§ Examiner: **Singh, Dalip K.**

§

§ Attorney Docket No.: **AUS000111US1**

§

§

**REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE**Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

We would like to request a Certificate of Correction of Office Mistake with regard to issued patent 6,731,303 B1.

There is an error with respect to the following data:

Col. 13, line 3: after "processing" delete "element" and insert --elements--.

Col. 13, lines 22-23: after "claim 2," delete "wherein: a first stage,".

Col. 13, lines 25-26: after "inverts the depth coordinate" delete "; and a second stage," and insert --,-- after coordinate.

Col. 14, line 17: after "position" delete "coordinate" and insert --coordinates--.

Col. 14, line 30: after "stage of" delete "tie" and insert --the--.

No fees are believed to be necessary. If, however, any fees are required, I authorize the Commissioner to charge these fees which may be required to IBM Corporation Deposit Account No. 09-0447.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Duke W. Yee".

Duke W. Yee

Registration No. 34,285

YEE & ASSOCIATES, P.C.

P.O. Box 802333

Dallas, Texas 75380

(972) 385-8777

ATTORNEY FOR APPLICANT

PTO/SB/44 (04-04)
Approved for use through 04/30/2007. OMB 0651-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,731,303 B1

DATED : May 4, 2004

INVENTOR(S) : Marino

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 13, line 3: after "processing" delete "element" and insert —elements—.

Col. 13, lines 22-23: after "claim 2," delete "wherein: a first stage,".

Col. 13, lines 25-26: after "inverts the depth coordinate" delete "; and a second stage," and insert —,— after coordinate.

Col. 14, line 17: after "position" delete "coordinate" and insert —coordinates—.

Col. 14, line 30: after "stage of" delete "the" and insert —the—.

MAILING ADDRESS OF SENDER:

Yee & Associates, P.C.
P.O. Box 802333
Dallas, TX 75380

PATENT NO: 6,731,303 B1

No. of additional copies

➡ 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1460, Alexandria, VA 22313-1460.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.